



EKS OPEN MEETING COPENHAGEN, DENMARK

Bella Sky Conference & Event Hotel 18-19 September 2025



	ROOM 1	ROOM 2	ROOM 3
08:30-10:30	Optimizing care pathways in knee arthroplasty – what is the status on	Oral Presentations Total knee arthroplasty I	
10:30-11:00	Coffee break		
11:00-12:30	Medial OA – the varus knee	Best Paper Award 8 best paper presentations	Oral Presentations Total knee arthroplasty II
12:30-14:00	Lunch break Lunch Symposia 12:45-13:45		
14:00-15:30	Lateral OA – the valgus knee	The patello-femoral joint	Oral Presentations Total knee arthroplasty III
15:30-16:00	Coffee break		
16:00-17:30	Dealing with complex primary TKA	Oral Presentations Unicompartmental knee arthroplasty I	Oral Presentations Alignment
17:30-19:00	Congi	ress reception (Exhibition	Area)

	ROOM 1	ROOM 2	ROOM 181
08:30-10:30	Alignment in 2025 Show me your strategy and results for alignment in primary TKA	Oral Presentations Aseptic and septic revision knee arthroplasty	Oral Presentations Robotics and tecnology
10:30-11:00		Coffee break	
11:00-12:30	Debates in primary knee arthroplasty Debate #1: Is robotic assistance making us perform better in 2025? Debate #2: The bearing should be medially stabilizing in 2025? Debate #3: A UKA should be the most frequent primary procedure you perform in 2025?	Dealing with septic revisions	11:00-11:50 Oral Presentations Revision TKA 11:50-12:30 Oral Presentations Treatments / Outcomes
12:30-14:00	Lunch break Lunch Symposia 12:45-13:45		
14:00-15:30	Dealing with aseptic revisions	Alignment and kinematics for nerds	Oral Presentations Unicompartmental knee arthroplasty II
15:30-16:00		Coffee break	
16:00-17:00	Expert Panel: My perfect primary knee arthroplasty in 2025		



08:30

08:38

08:46

08:54

09:02

09:10

09:26

09:34

09:42

09:50

09:58

10:06

10:14

08:30-10:30 Room 1 OPTIMIZING CARE PATHWAYS IN KNEE ARTHROPLASTY WHAT IS THE STATUS ON Chairs: Jean-Noël Argenson (France) David Barrett (United Kingdom)
Pain management Emmanuel Thienpont (Belgium)
Anticoagulation Kirill Gromov (Denmark)
AB prophylaxis for high risk patients Henry Clarke (USA)
Obesity Friedrich Boettner (USA)
Diabetes Christian Skovgaard Nielsen (Denmark)
Panel discussion
Same-day surgery eligibility and success Martin Lindberg-Larsen (Denmark)
Same-day surgery safety Gareth Jones (United Kingdom)
Why UKA is my favorite for same-day surgery Abtin Alvand (United Kingdom)
What does the patient think about same-day surgery? Martin Roche (USA)
The rehab protocol in optimized care Martin Lindberg-Larsen (Denmark)
Does technology offer help? Fares Haddad (United Kingdom)
Panel discussion

08:30-10:30	Room 2
-------------	--------

ORAL PRESENTATIONS - TOTAL KNEE ARTHROPLASTY I

Chairs: **Sébastien Lustig** (France)

Hilde Vandenneucker (Belgium)

- O8:30 Longitudinal changes in aHKA and CPAK classification in osteoarthritic Caucasian knees: a retrospective cohort study of 84 cases

 Jim Vandenberk (Belgium)
- 08:36 Mid-term clinical and radiological changes in the ankle joint in varus knee osteoarthritis following total knee arthroplasty
 Mustafa Akkaya (Turkey)
- 08:42 Early clinical and radiographic outcomes of a new cementless 3D-printed tibial baseplate for total knee arthroplasty

 Ivan De Martino (Italy)
- 08:48 Evaluating the short-term benefits of image-based robotic assistance in TKA after prior HTO: a comparative study
 Sébastien Lustig (France)
- 08:54 Is the soft tissue to bone ratio better than BMI in predicting prosthetic joint infection in elective total knee arthroplasty?
 Alexander Price (Ireland)
- O9:00 The results of a 3-year pilot study of SpheriKA a new implant designed for kinematic alignment total knee arthroplasty
 Andrew Price (United Kingdom)
- 09:06 Quadriceps tendon alignment does not affect outcomes after unrestricted kinematic TKA

Charles Rivière (France)

- 09:12 Individualised compared to off-the-shelf total knee arthroplasty results in lower and less variable patellar tilt Elliot Sappey-Marinier (France)
- O9:18 Pulsed electromagnetic field (PEMF) therapy improves chronic pain and clinical outcomes in patients with painful total knee arthroplasty (TKA): a multicenter prospective cohort study

 Federica Rosso (Italy)



08:30-10:30 | Room 2 ORAL PRESENTATIONS - TOTAL KNEE ARTHROPLASTY I (cont.)

- 09:24 Morbidity and mortality analysis of primary total knee arthroplasty in patients over 90: insights from the German Arthroplasty Registry Gautier Beckers (Germany)
- O9:30 Asymmetric patellar resection predicts tilt and osteolysis after roboticassisted TKA
 Marco Pungitore (Italy)
- 09:36 Early outcomes of contemporary cementless patellar resurfacing in total knee arthroplasty

 Rudy Sangaletti (Italy)
- 09:42 Preservation of native coronal plane alignment phenotype is associated with superior functional outcomes following total knee arthroplasty Wout Goos (Belgium)
- 09:48 Discussion

	MEDIAL OA - THE VARUS KNEE Chairs: Will Jackson (United Kingdom) Andrew Porteous (United Kingdom)
11:00	Contemporary indications for medial UKA - how many can I do? Nick London (United Kingdom)
11:08	The non-contraindications - what not to worry about Chris Dodd (United Kingdom)
11:16	What is the evidence to support doing medial UKA and not TKA in AMOA Justin Cobb (<i>United Kingdom</i>)
11:24	Video technique case #1: my technique for a medial UKA Jean-Noël Argenson (France)
11:32	Video technique case #2: my technique for a medial UKA Fabio Catani (Italy)
11:40	Video technique case #3: my technique for a medial UKA Andrew Price (United Kingdom)
11:48	Treatment options and results in posteromedial wear and advanced varus Roberto Rossi (Italy)
11:56	Video technique case #4:My technique for severe and fixed varus Ashok Raigopal (India)

12:45-13:45 | Rooms 3 and 4 LUNCH SYMPOSIA

12:04 Panel discussion



11:00	Spinal anaesthesia versus general anaesthesia on recovery after knee arthroplasty (The SAGA trial) Christian Bredgaard Jensen (Denmark)
11:06	GLP-1 receptor agonist use in non-diabetic patients does not increase complications following total knee arthroplasty Saad Tarabichi (United States)
11:12	Robotic knee replacement delivers more than precision: better outcomes and happier patients at two years: preliminary from a RCT Arne Peeters (Belgium)

ORAL PRESENTATIONS - BEST PAPER AWARD
Chairs: Petra Heesterbeek (The Netherlands)
Stefano Marco Paolo Rossi (Italy)

11:18 Standardized intraoperative robotic laxity assessment in TKA leads to no clinically important improvements at 2 years postoperatively: a randomized controlled trial

Hannes Vermue (Belgium)

11:00-12:30 | Room 2

- 11:24 Incidence of thromboembolic events in outpatient hip and knee arthroplasty patients treated with only a single dose of thromboembolic prophylaxis A cohort study of 9341 patients

 Oddrun Danielsen (Denmark)
- 11:30 Excellent implant survivorship and knee function of the Oxford fixed lateral unicompartmental knee arthroplasty a consecutive single-center series of 1016 knees at a mean follow-up of 5 years

 Wenzel Waldstein (Austria)
- 11:36 Functional results of total-knee arthroplasty versus medial unicompartmental knee arthroplasty: five-year results of a randomized, controlled trial Inari Laaksonen (Finland)
- 11:42 Physical activity outcomes in patellofemoral vs. total knee replacements: a randomised control trial for isolated patellofemoral joint osteoarthritis Martinique Vella-Baldacchino (United Kingdom)
- 11:48 Panel discussion
 Tilman Calliess (Switzerland), Fares Haddad (United Kingdom),
 Martin Lindberg-Larsen (Denmark), David Murray (United Kingdom)

	11:00-12:30 Room 3 ORAL PRESENTATIONS - TOTAL KNEE ARTHROPLASTY II Chairs: Stefano Campi (Italy) Christian Skovgaard Nielsen (Denmark)
11:00	Clinical results and survivorship of the ANTHEM total knee arthroplasty with narrow femoral components at a minimum of 5 years Goksel Dikmen (<i>Turkey</i>)
11:06	Implant thickness/bone resection mismatch: how precise we are using a off-the-shelf implant Filippo Calanna (Italy)
11:12	The impact of tourniquet on local antibiotic concentrations in total knee arthroplasty: a randomised controlled trial (TACT trial) protocol Gerard Sheridan (<i>Ireland</i>)
11:18	Does reproducing native patellar tracking matter in TKA? An analysis of early outcomes of robotic patella tracking Jobe Shatrov (Australia)
11:24	Imageless robotic surgery and a personalized approach: optimizing TKA after ACL reconstruction Luca Andriollo (Italy)
11:30	A cumulative sum analysis of the learning curve for elective total knee replacement for a new orthopaedic consultant Euan O Mathuna (<i>Ireland</i>)
11:36	Unrestricted kinematic alignment on the sagittal plane: does combined flexion have boundaries to respect? Pietro Gregori (Italy)
11:42	Peak Tracer uptake values on SPECT/CT are strong predictors of aseptic loosening in painful primary total knee arthroplasty Randa Elsheikh (Switzerland)
11:48	Bilateral simultaneous vs staggered total knee arthroplasty: a randomize controlled comparison of safety Aditya Seth (India)
11:54	Evaluation of the concordance between preoperative planning and bone resections in customized total knee arthroplasty using patient specific instrumentation Tarik Ait-Siselmi (France)
12:00	Discussion



14:00-15:30 | Room 1

	Chairs: Stefano Campi (Italy) Chris Dodd (United Kingdom)
14:00	Contemporary indications for lateral UKA - how many can I do? Cécile Batailler (France)
14:08	Understand the lateral OA pattern - morphology, clinical findings and imaging Sébastien Lustig (<i>France</i>)
14:16	What results can be expected after lateral UKA? David Murray (United Kingdom)
14:24	Video technique case #1: my technique for a lateral UKA Anders Troelsen (Denmark)
14:32	Video technique case #2: my technique for a lateral UKA Martin Roche (USA)
14:40	Video technique case #3: my technique for a lateral UKA Andrea Baldini (<i>Italy</i>)
14:48	Treatment options and results in advanced, fixed valgus Hilde Vandenneucker (Belgium)
14:56	Video technique case #4: my technique for TKA in fixed valgus Roberto Rossi (<i>Italy</i>)
15:04	Panel discussion

	14:00-15:30 Room 2 THE PATELLO-FEMORAL JOINT SESSION Chairs: Michael T. Hirschmann (Switzerland) Philip Winnock de Grave (Belgium)
14:00	Kinematics of the native patello-femoral join Petra Heesterbeek (The Netherlands)
14:08	Unicompartmental OA - indications for PF arthroplasty and expected results Jonathan Eldridge (<i>United Kingdom</i>)
14:16	Video technique case #1: my technique for PFA a in OA secondary to trochlea dysplasia Emmanuel Thienpont (Belgium)
14:24	When to combine PFA with TTO and other procedures Paolo Adravanti (Italy)
14:32	Patella tracking is associated with anatomy and phenotype Fabio Catani (Italy)
14:40	What is the perfect tension of the PF compartment in TKA? David Barrett (United Kingdom)
14:48	What are the potential PF issues in kinematically aligned TKA? Andreas Halder (Germany)
14:56	It's not an issue – this is how I deal with it Will Jackson (United Kingdom)
15:04	Panel discussion



	14:00-15:30 Room 3 ORAL PRESENTATIONS - TOTAL KNEE ARTHROPLASTY III Chairs: Michel Bonnin (France) Nick London (United Kingdom)
14:00	Further posterior dwelling of the femoral component on an MC compared to a CR bearing. A fluoroscopic kinematic analysis from a randomized controlled trial Kristian Mortensen (Denmark)
14:06	Surgeon hearing at risk: modernising protection in arthroplasty (a comparative study of industrial electronic earplugs and consumer noise-cancelling earbuds) Daire-Sean Gibbons (Ireland)
14:12	The accuracy of the linked jig technique in calipered kinematic alignment total knee arthroplasty Alexander Maslaris (Germany)
14:18	Incidence and associated factors with postoperative patellar tilt after personalised alignment total knee arthroplasty Alexandre Le Guen (France)
14:24	10 years outcomes and survivorship of a novel knee implant, are expectations confirmed? First report at long term follow-up Rudy Sangaletti (Italy)
14:30	Correlation between frontal knee alignment and bone resection thicknesses during total knee arthroplasty without precision-enabling device: a retrospective study
	Antoine Outrequin (France)
14:36	Analysis of Complications and Mid-Term Survival in 969 Individualized Total Knee Arthroplasties (ORIGIN Symbios) : no revision for instability and excellent survival rates Axel Schmidt (France)
14:42	Optimizing orthopedic care: Insights from a comprehensive analysis of day case total knee replacement Bashir Alenazi (Saudi Arabia)

The Weight of Youth: Trends over time in the prevalence of obesity among

younger patients undergoing Total Knee Arthroplasty

Branavan Rudran (United Kingdom)

14:48

	14:00-15:30 Room 3 ORAL PRESENTATIONS - TOTAL KNEE ARTHROPLASTY III (cont.)
14:54	Survival of primary total knee arthroplasty in a modern anatomic implant with and without a short stem extension Delphine Wautier (Belgium)
15:00	Reducing patellofemoral pressure in knee arthroplasty by altering the mediolateral patella prosthesis position Nick London (United Kingdom)
15:06	Discussion
	16:00-17:30 Room 1
	Chairs: Friedrich Boettner (USA) Thomas Heyse (Germany)
16:00	When is a case complex and what are the pitfalls? Fares Haddad (United Kingdom)
16:08	What are the results after complex primary TKA - are we improving? Hemant Pandit (United Kingdom)
16:16	Video - Post fracture Johannes Beckmann (Germany)
16:26	Video - The stiff knee Ashok Rajgopal (India)
16:36	Video - The dislocated patella Sébastien Lustig (France)
16:46	Video - Retained hardware Cécile Batailler (France)
16:56	Video - UKA to TKA Sébastien Lustig (France)
17:06	Panel discussion



16:00

16:00-17:30 | Room 2

Chairs: Andrea Baldini (Italy)

Amy Garner (United Kingdom)

Nikolai Kornilov (Russia)

Nils Meissner (Germany)

osteonecrosis: a 20-year experience

Andrew Price (United Kingdom)

THURSDAY, 18 SEPTEMBER 2025

Lateral unicompartmental arthroplasty is biomechanically efficient, anterior-posterior stable and preserves healthy extensor moments

ORAL PRESENTATIONS - UNICOMPARTMENTAL KNEE ARTHROPLASTY I

16:06	A registry-based analysis of lateral unicompartmental knee arthroplasty performance during 25 years: how to arrive at an optimized outcome? Kristine Bunyoz (Denmark)
16:12	Lateral unicompartmental knee arthroplasty using medial approach shows excellent long term results Andrea Baldini (Italy)
16:18	Long-term excellent clinical outcomes, high survivorship, and low osteoarthritis progression in lateral unicompartmental knee arthroplasty: a 10-year minimum follow-up Stefano Petrillo (Italy)
16:24	Patients' joint perception after medial Unicompartmental Knee Arthroplasty (UKA) is improved with restoration of preoperative Medial Proximal Tibial Angle (MPTA): a matched-pair analysis Andrea Tecame (Italy)
16:30	Comparison of 10-year survival in cemented phase 3 and cementless microplasty Oxford partial knee replacement to treat anteromedial OA of the knee
16:36	Andrew Price (United Kingdom) Evaluation of functional outcomes, survivorship and complications of hypoallergenic fixed-bearing medial and lateral unicompartmental knee arthroplasty: a minimum 2-year follow-up Federico D'Amario (Italy)

No correlation observed between patient satisfaction following medial UKA and either pre-operative BMI or post-operative follow-up duration

Unicompartmental knee arthroplasty for isolated compartment

16:42

16:48

16:00-17:30 | Room 2

ORAL PRESENTATIONS - UNICOMPARTMENTAL KNEE ARTHROPLASTY I (cont.)

- 16:54 Risk of early periprosthetic tibial fractures after cemented and cementless medial unicompartmental knee arthroplasties studied in a nationwide cohort Stefan Risager (Denmark)
- 17:00 Computer-assisted cryocompression therapy reduces pain and enhances rapid recovery of range of motion after unicompartmental knee arthroplasty **Stefano Petrillo** (*Italy*)
- 17:06 Discussion



16:00

16:06

16:12

16:18

THURSDAY, 18 SEPTEMBER 2025

coronal plane alignment of the knee (CPAK) phenotypes distribution and ankle joint coronal plane alignment adaptation patterns in North African (Egyptian) population with knee osteoarthritis: a cross-sectional study Ahmed Khalifa (Egypt)
Tibial slope and CPAK phenotype: is there an association between the sagittal and coronal planes? A radiographic analysis in osteoarthritic patients undergoing total knee arthroplasty Alessandro Del Monaco (Italy)
Femoral cartilage variability affects accuracy of kinematic alignment and imageless navigation in total knee arthroplasty. A prospective study from the UCBM study group Andrea Tanzilli (Italy)

The impact of alignment philosophy on trochlear anatomy restoration in

TKA is linked to the LDFA

Britt Ollivier (Belgium)

16:24 Lateral deviation of the prosthetic trochlear angle relative to the

quadriceps vector in mechanically aligned total knee arthroplasty: a radiological and clinical analysis

Enejd Veizi (Turkey)

16:00-17:30 | Room 3

ORAL PRESENTATIONS - ALIGNMENT
Chairs: Michael T. Hirschmann (Switzerland)

Jan Victor (Belaium)

16:30 Image-based robotic (ROSA® knee system) total knee arthroplasty with inverse kinematic alignment compared to conventional total knee arthroplasty Bert Boonen (The Netherlands)

16:36 The magic number is sixty: a simple method for adjusting tibial alignment in total knee arthroplasty

Johan Van Der Merwe (South Africa)

16:42 Total knee arthroplasty and ankle alignment: effect of kinematic vs mechanical alignment

Marco Donantoni (Italy)

16:48 Out-of-the-box but doing just fine: CPAK changes don't hurt TKA results Remco Coenen (Belgium)

16:00-17:30 | Room 3

Discussion

17:06

THURSDAY, 18 SEPTEMBER 2025

ORAL PRESENTATIONS - ALIGNMENT (cont.) 16:54 Bi-cruciate-retaining total knee arthroplasty with a tailored alignment improves gait ability: a prospective study Claudia Galletta (Italy) 17:00 Asymmetric Ligament Balancing in Augmented-Reality TKA Closely Reproduces Native Knee Kinematics Fjorela Qordja (Italy)



	08:30-10:30 Room 1 ALIGNMENT IN 2025 Chairs: Henry Clarke (USA) Sebastien Parratte (France)
08:30	POSTER AWARDS
	ALIGNMENT IN 2025
08:35	What knee arthroplasty surgeons should know about knee ligament function and biomechanics Jan Victor (Belgium)
08:45	Is there a need for safety cut-offs for implant position? Stefano Marco Paolo Rossi (Italy)
	SHOW ME YOUR STRATEGY AND RESULTS FOR ALIGNMENT IN PRIMARY TKA
08:55	Kinematic alignment Andrew Price (United Kingdom)
09:05	Inverse kinematic Philip Winnock De Grave (Belgium)
09:15	Restricted kinematic Michael T. Hirschmann (Switzerland)
09:25	Functional Sébastien Lustig (France)
09:35	Functional - hybrid Francesco Benazzo (Italy)
09:45	Mechanical Andreas Halder (Germany)
09:55	My UKAs are perfectly kinematic Will Jackson (United Kingdom)
10:05	Panel discussion

	08:30-10:30 Room 2 ORAL PRESENTATIONS - ASEPTIC AND SEPTIC REVISION KNEE ARTHROPLASTY Chairs: Friedrich Boettner (USA) Jonathan Philips (United Kingdom)
08:30	Minimum surgeon volume for revision in non-infected total knee arthroplasty: An analysis using data from the United Kingdom National Joint Registry Alex Matthews (<i>United Kingdom</i>)
08:36	Complication rates, risk factors, and survival analysis of 230 revision total knee arthroplasties using rotating hinge knee prostheses: a minimum two-year follow-up study Cécile Batailler (France)
08:42	Finite element analysis of unilateral and bicompartmental tibial augments in revision total knee arthroplasty Friedrich Boettner (United States)
08:48	Is UKA-to-UKA revision a viable bone-sparing option? A cohort study. Gianluca Conza (Italy)
08:54	Outcomes of periprosthetic distal femur fractures managed surgically with fixation or revision to distal femoral replacement James Fountain (United Kingdom)
09:00	Preoperative lower radiographic osteoarthritis severity in primary total knee arthroplasty increases revision risk by tenfold compared to severe
	osteoarthritis Lenka Stroobant (Belgium)
09:06	Towards a new CT-based bone defect classification in revision knee arthroplasty: a Delphi consensus study Maaike De Bondt (The Netherlands)
09:12	Extension tress radiographs for coronal laxity assessment in revision TKA: high reliability and increased valgus laxity in this population Nele Arnout (Belgium)
09:18	Automatic detection of aseptic loosening in total knee arthroplasty using deep learning; an Al proof-of-concept study

Petra Heesterbeek (The Netherlands)



08:30-10:30 | Room 2 ORAL PRESENTATIONS - ASEPTIC AND SEPTIC REVISION KNEE ARTHROPLASTY (cont.)

- O9:24 Gain in range of motion after revision total knee arthroplasty for severe stiffness with a rotating hinge implant
 Simon Van Laarhoven (The Netherlands)
- 09:30 Is every revision the same? definition of complexity in knee revision surgery Valentina Providenti (Italy)
- 09:36 UK-based consensus study on definition, prevention and management of persistent wound drainage following joint arthroplasty for the multidisciplinary team
 Jonathan Philips (United Kingdom)
- 09:42 Synovial fluid leukocyte analysis in periprosthetic joint infection of unicompartmental knee arthroplasty: a multicentre retrospective study Nils Meissner (Germany)
- 09:48 The use of contralateral mirroring and 3D-printed guides to restore joint line height and alignment in complex revision total knee arthroplasty Valerio Daffara (Italy)
- 09:54 Discussion

08:30-10:30 Room 3
ORAL PRESENTATIONS - ROBOTICS AND TECNOLOG
Chairs: Gareth Jones (United Kingdom)
Fleftherios Tsiridis (Greece)

- 08:30 The tibiofemoral rotation position at knee extension affects intraoperative tibiofemoral rotation during early knee flexion in robotic assisted bicruciate stabilized TKA Keizo Wada (Japan)
- 08:36 MyMobility® app for patients after knee arthroplasty: a 3-years monitoring and comparison between assisted telemedicine versus non-assisted telemedicine Andrea Baldini (Italy)
- O8:42 Outcome of MAKO robot-assisted unicompartmental knee replacement: a cohort study

 Ahmed Amr Abdrabo Hamada (United Kingdom)
- 08:48 How does the REAL articular laxity characterization rela
- 08:48 How does the REAL articular laxity characterization relate with different bone alignment classification systems and what is its known clinical relevance till now?
 Eleftherios Tsiridis (Greece)
- 08:54 Uncemented robotic-assisted total knee arthroplasty with functional knee positioning provides high implant survival at a minimum follow-up of 2 years Francesco Zambianchi (Italy)
- 09:00 Arthroplasty guided by a smartphone: cadaver study Gareth Jones (United Kingdom)
- O9:06 Fractures through the tracking pin site: the bad of new technologies in knee arthroplasty
 José Maria Trigueros-Larrea (Spain)
- 09:12 Surgery durations after implementation of MAKO-assisted total knee arthroplasties in a fast-track setting

 Lasse Rasmussen (Denmark)
- 09:18 Serum metal ion levels following robotic-assisted and conventional TKA: a prospective comparative study
 Nils Meissner (Germany)



09:24

09:48

09:54 Discussion

08:30-10:30 | Room 3

Thomas Aubert (France)

FRIDAY, 19 SEPTEMBER 2025

ORAL PRESENTATIONS - ROBOTICS AND TECNOLOGY (cont.)

The Impact of two-phase balancing in robotic assisted total knee

arthroplasty Pieter-Jan Vandekerckhove (Belgium) O9:30 Feasibility of Virtual consultations as the sole preoperative contact before knee arthroplasty: a cohort study Rune Tendal Paulsen (Denmark) O9:36 Radiologic reliability of an imageless robotic assisted system in revision total knee arthroplasty Matteo Innocenti (Italy) O9:42 Rapid reduction in surgical time and high level of accuracy in alignment and femoral component size prediction in robotic-assisted total knee arthroplasty with ROSA Knee System Stefano Petrillo (Italy)

Comparison between velys robotic-assisted solution (VRAS) and computernavigated total knee arthroplasty; an evaluation of operational excellence

11:00-12:30 | Room 1

DEBATES IN PRIMARY KNEE ARTHROPLASTY

DEBATE #1: IS ROBOTIC ASSISTANCE MAKING US PERFORM BETTER IN 2025?

Chair: **Sebastien Parratte** (France)

11:00 Oppose!

Jan Victor (Belgium)

11:09 Affirm!

Eleftherios Tsiridis (Greece)

11:18

Andreas Halder (Germany), Nick London (United Kingdom).

Martin Roche (USA)

DEBATE #2: THE BEARING SHOULD BE MEDIALLY STABILIZING IN 2025?

Chair: Jan Victor (Belgium)

11:30 Oppose!

Henry Clarke (USA)

11:39 Affirm!

Sebastien Parratte (France)

11.48 Panel

Francesco Benazzo (Italy), Hemant Pandit (United Kingdom),

Eleftherios Tsiridis (Greece)

DEBATE #3: A UKA SHOULD BE THE MOST FREQUENT PRIMARY

PROCEDURE YOU PERFORM IN 2025?

Chair: **David Barrett** (United Kingdom)

12:00 Oppose!

Michel Bonnin (France)

12:09 Affirm!

Chris Dodd (United Kingdom)

12:18 Panel

Jonathan Eldridge (United Kingdom), Andrew Price (United Kingdom),

Emmanuel Thienpont (Belgium)



	11:00-12:30 Room 2 DEALING WITH SEPTIC REVISIONS Chairs: Andrea Baldini (Italy) Ashok Rajgopal (India)
11:00	What is new for PJI? Abtin Alvand (United Kingdom)
11:08	The ABC of PJI diagnosis? Stefano Campi (Italy)
11:16	When to do a DAIR, a 1-stage or a 2-stage? Andrew Porteous (United Kingdom)
11:24	Critical review of the litterature: Where are we with 1-stage vs. 2-stage? Tilman Calliess (Switzerland)
11:32	Video - My technique for a DAIR Friedrich Boettner (USA)
11:40	Video - My technique for 1-stage Jonathan Philips (United Kingdom)
11:48	Video - My technique for 2-stage Gijs Van Hellemondt (<i>The Netherlands</i>)
11:56	Video - Phage therapy – a last resort? Sébastien Lustig (France)

12:04 Panel discussion

	ORAL PRESENTATIONS - REVISION TKA Chairs: Kirill Gromov (Denmark) Stefano Marco Paolo Rossi (Italy)
11:00	The patient-specific 3D printed cones allow to substitute more extensive bone defects then «off-the-shelf» cones and sleeves in revision knee arthroplasty with higher increase of PROMs. Alexander Cherny (Russia)
11:06	Aseptic tibial loosening in nexgen legacy posterior stabilised tibial implants: a single-centre comparative 10 year outcomes study Saskia Locke (United Kingdom)
11:12	Capturing knee instability in patients after a primary total knee arthroplasty (TKA): a mapping review Tamara Droogsma (The Netherlands)
11:18	Comparing outcomes of one-stage vs. two-stage revision total knee arthroplasty with gastrocnemius flap reconstruction: a systematic review & meta-analysis Jonas Sina (United Kingdom)
11:24	Extensor mechanism deficiency in total knee arthroplasty revisions: surgical challenges and considerations Sofia Caldeira Dantas (Portugal)
11:30	Impact of preoperative colonoscopy on revision surgery risk in primary total knee arthroplasty: a comprehensive population-based analysis Talal Al-Jabri (United Kingdom)
11:36	Discussion
	ORAL PRESENTATIONS - TREATMENTS / OUTCOMES

- Polyacrylamide hydrogel for knee osteoarthritis: 5-year results from a 11:50 prospective study Bushra Shahida (Denmark)
- 11:56 Single shot or not? Early infection rates under single-dose versus 24-hour antibiotic prophylaxis in primary knee arthroplasty Lukas Paul Weinkamm (Germany)



11:00-12:30 | Room 3 ORAL PRESENTATIONS - TREATMENTS / OUTCOMES (cont.)

- 12:02 Knee microbiota in the physiopathology of osteoarthritis. Microbes could play an important role in a presumed Non-infectious disease

 Tommaso Bonanzinga (Italy)
- 12:08 Bilateral knee arthroplasty: a surgical challenge for enhanced patient outcomes. A short-to-mid-term evaluation

 Cesare Chemello (Italy)
- 12:14 The percentage of possible improvement limits the ceiling effect of the Oxford Knee Score in calculating minimal clinically important difference after total knee arthroplasty

 Tom Doyle (Ireland)
- 12:20 Discussion

12:45-13:45 | Rooms 3 and 4 LUNCH SYMPOSIA 14:00-15:30 | Room 1

FRIDAY, 19 SEPTEMBER 2025

	DEALING WITH ASEPTIC REVISIONS Chairs: Eleftherios Tsiridis (Greece) Gijs Van Hellemondt (The Netherlands)
14:00	What are the current trends in aseptic revision – what are we revising for and are we improving? Martin Lindberg-Larsen (Denmark)
14:08	Concepts and strategies in fixation - Cemented or cementless stem fixation? Hilde Vandenneucker (Belgium)
14:16	Video - The TKA is painful: the ABC of assessment Ashok Rajgopal (India)
14:24	Video - First – a real synovectomy and removing the implants without bone loss Francesco Benazzo (Italy)
14:32	Video - How I deal with bone loss and poor bone quality Kirill Gromov (Denmark)
14:40	Video - Revising the unstable TKA Jonathan Philips (United Kingdom)
14:48	Video - Extensor mechanism disruption Andrea Baldini (Italy)
14:56	Video - My tecnique for non-tumor resection arthoplasty Abtin Alvand (United Kingdom)
15:04	Panel discussion



	14:00-15:30 Room 2 ALIGNMENT AND KINEMATICS FOR NERDS Chairs: Martin Roche (USA) Stefano Marco Paolo Rossi (Italy)
14:00	CPAK explained - strengths and limitations! Gareth Jones (United Kingdom)
14:08	Time to think in 3D (Winner of best paper closed meeting 2025) Michael T. Hirschmann (Switzerland)
14:16	Valgus knee alignment is not associated with hypoplasia of the lateral femoral condyle Henry Clarke (USA)
14:24	Patient specific alignment improves clinical outcomes in varus knees Philip Winnock De Grave (Belgium)
14:32	Prosthetic limb alignment varies between knee extension and flexion after unrestricted kinematically aligned TKA Charles Rivière (France)
14:38	Why I would decouple the patellofemoral joint for optimized kinematics in TKA Carsten O. Tibesku (Germany)
14:46	How kinematics change when the ACL is not there Roberto Rossi (Italy)
14:54	Association between kinematic patterns and PROMs in revision TKA Nele Arnout (Belgium)
15:00	Valgus knee alignment is not associated with hypoplasia of the lateral femoral condyle Henry Clarke (USA)
15:06	Patient specific alignment improves clinical outcomes in varus knees - a matched comparison of iKA and aMA at 5 year follow-up Philip Winnock De Grave (Belgium)
15:12	Panel discussion

14:0	ეი-	15:30	I Ro	om 3
	J	13.30	1 70	0111

ORAL PRESENTATIONS - UNICOMPARTMENTAL KNEE ARTHROPLASTY II

Chairs: Will Jackson (United Kingdom)
Sébastien Lustig (France)

- 14:00 Enhanced precision and joint line restoration with the image-based system versus imageless system: Comparative analysis of robotic-assisted lateral UKA in 135 patients

 Sébastien Lustig (France)
- 14:06 Long-term survival of lateral unicompartmental knee arthroplasty is comparable to long-term survival of medial unicompartmental knee arthroplasty: a single centre cohort study

 Anze Mihelic (Slovenia)
- 14:12 Long-term survival of fixed bearing lateral unicompartmental knee arthroplasty

 Tieerd Jager (Belgium)
- Patient satisfaction following medial unicompartmental knee arthroplasty (UKA) does not directly depend on the surgeon's level of experience Alexey Fil (Russia)
- 14:24 Does constitutional varus affect functional outcomes in robotic assisted medial uni-compartmental knee arthroplasty?

 Ashok Kumar Ps (India)
- 14:30 Medial unicompartmental knee arthroplasty following periarticular osteotomy is a safe and effective treatment option in patients without excessive overcorrection

Conradin Schweizer (Germany)

14:36 Excellent outcomes of fixed-bearing partial knee arthroplasty with broad selection criteria

Damian Bull (United Kingdom)

- 14:42 A preoperative JLCA >2.5° is associated with better functional outcomes after medial unicompartmental knee arthroplasty

 Franck Lacaze (France)
- 14:48 Medial unicompartmental knee arthroplasty in preoperative varus deformity ≥10°: Long-term outcomes and individual alignment thresholds as a new approach for indication

 Johannes Weishorn (Germany)



14:00-15:30 | Room 3

ORAL PRESENTATIONS - UNICOMPARTMENTAL KNEE ARTHROPLASTY II (cont.)

14:54 Patellofemoral arthroplasty in the young patient for osteoarthritis due to patellofemoral dysplasia

Loic Thoreau (Belgium)

15:06 Discussion

16:00-17:00 | Room 1

EXPERT PANEL: MY PERFECT PRIMARY KNEE ARTHROPLASTY IN 2025 Chair: **Anders Troelsen** (Denmark)

Panel discussion with no BS, quick answers from panelists on aspects of knee arthroplasty and health care

Abtin Alvand (United Kingdom), Johannes Beckmann (Germany), Friedrich Boettner (USA), Kirill Gromov (Denmark), Michael T. Hirschmann (Switzerland), Sebastien Parratte (France)

- P01 New classification system for categorizing the three-dimensional native knee anatomy: the 3PAK Matrix
 Charles Rivière (France)
- P02 Post-operative radiographic validation of implant position and knee alignment following Mako robot-assisted total knee arthroplasty; clinical outcomes and patient satisfaction

 Dries Verbeke (Belgium)
- P03 Functional knee positioning in robotic-assisted total knee arthroplasty:
 Femoral component rotational alignment varies across knee phenotypes
 without impacting on clinical outcomes
 Francesco Zambianchi (Italy)
- P04 Patellar tracking patterns show no correlation with CPAK Classification in robotic-assisted TKA

 Jobe Shatrov (Australia)
- P05 Dynamic alignment of the knee (DyAK) Classification: advancing knee evaluation in robotic arthroplasty Luca Andriollo (Italy)
- Does pes anserinus release affect outcomes in medial open wedge high tibial osteotomy?
 Mustafa Akkaya (Turkey)
- P07 Evaluation of the effect of proximal tibial valgus osteotomies on knee morphotype according to the Coronal Plane Alignment of the Knee (CPAK) Classification

 Valerio Daffara (Italy)
- P08 Analysis of lower limb torsional parameters and their correlation with coronal plane alignment and coronal plane alignment of the knee (CPAK) morphotype

 Valerio Daffara (Italy)
- P09 The variability of pivoting patterns during flexion in native knees Axel Schmidt (France)
- P10 Posterior cruciate ligament retention does not influence clinical outcomes in medial pivot total knee arthroplasty: a systematic review and meta-analysis Hannes Vermue (Belgium)
- P11 10-year follow-up after intra-articular injections of 2.5 % polyacrylamide hydrogel for knee osteoarthritis

 Bushra Shahida (Denmark)



- P12 Limb salvage in multiple revision TKA using customized implants: when sleeves and cones are no more option
 Stefanie Donner
- P13 Does surgeon handedness affect radiological and functional outcomes during primary total knee arthroplasty? A retrospective cohort study Ahmed Khalifa (Egypt)
- P14 Temporal evolution of total knee arthroplasty failure modes: a comparative analysis between 2010-2014 and 2020-2024 periods

 Andrea Baldini (Italy)
- P15 The effect of Acmella and boswellia vs triamcinolone acetonide for the treatment of pes anserine tendinopathy. A pilot study

 Annalisa Itro (Italy)
- P17 Incidence of ligamentous injuries in periarticular fractures of knee on MRI versus arthroscopy: a prospective analytical study
 Saurabh Singh (India)
- P18 Septic arthritis following meniscal repair in a pediatric patient: a case report Gabriele Martin (Italy)
- P19 A Morel-Lavallée lesion after a stiff total knee arthroplasty loannis Spyrou (Greece)
- P20 Referred knee pain from the hip: prevalence and clinical implications Pieter-Jan Vandekerckhove (Belgium)
- P21 3D imaging-based ai models provide comparable femoral and superior tibial exact size predictions than 2D models in total knee arthroplasty planning

 Randa Elsheikh (Switzerland)
- P22 Kinematic alignment in arthroplasty: a comparative 1-year PROMs study of THA, TKA, and UKA
 Charles Rivière (France)
- P24 Unicompartmental vs. total knee arthroplasty: a comparison of patientreported outcomes at one-year follow-up Jonas Sina (United Kingdom)
- Primary total knee arthroplasty in the morbidly obese using a highly porous cementless tibial baseplate: minimum 10-year follow-up Sébastien Lustig (France)

- P27 Regionalisation of revision knee replacement: An analysis of temporal trends in referral patterns, surgical volumes and early outcomes using hospital episode statistics data for England between 2012 and 2024 Alex Matthews (United Kingdom)
- P28 New revision strategy for total knee arthroplasty: switching from mechanical to kinematical alignment of primary components: a case report

 Charles Rivière (France)
- P29 Revision from UKA to TKA: an analysis of 91 revisions at mid-term follow-up Nils Meissner (Germany)
- P30 Kinematic alignment-preserving revision of a total knee arthroplasty for periprosthetic joint infection using primary implants: a case report Charles Rivière (France)
- P31 Significant differences in the rate of periprosthetic joint infections in revision hip and knee arthroplasty depending on the applied definition Friedrich Boettner (USA)
- P32 Reconstruction of the knee extensor apparatus with a revascularized cadaveric patella graft in combination of medial gastrocnemius flap in knee revision arthroplasty: a case report Valentina Providenti (Italy)
- Predictors of failure of two-stage revision in periprosthetic knee infection: a retrospective cohort study with a minimum two-year follow-up Valentina Providenti (Italy)
- P34 Improving consistency in gap balancing: retrospective evaluation of a tensioner in robotic-assisted TKA

 Arne Peeters (Belgium)
- P35 Patient-specific TKA Instrumentation: a case report in a patient with multiple hereditary exostoses

 Brent Albertson (USA)
- P36 Dynamic variability of the hip-knee-ankle (hka) axis during knee flexion: evidence from robot-assisted intraoperative analysis in total knee arthroplasty

 Fjorela Qordja (Italy)
- P37 Impact of soft-tissue balancing on clinical outcomes in robotic-assisted total knee arthroplasty with functional knee positioning Hannes Vermue (Belgium)



- P39 The future of total knee arthroplasty: are robotics here to stay? A Flemish knee surgeon's survey
 Pieter-Jan Vandekerckhove (Belgium)
- P40 Smarter knees, happier patients: PROMs favor robotic TKA over conventional Remco Coenen (Belgium)
- P41 Robotic versus manual total knee arthroplasty: trends in surgical workflows, alignment strategies, and outcomes measurements over the past two decades. a systematic review of randomized controlled trials Riccardo Sacco (Italy)
- P42 Prevalence of low bone mineral density in robotic-assisted TKA candidates: insights from quantitative ct analysis
 Sébastien Lustig (France)
- P43 Accuracy of ROSA knee system in bone cuts orientation during total knee arthroplasty: an observational study
 Stefano Petrillo (Italy)
- P44 Better operating room efficiency and reduced staff demand: Individualised versus off-the-shelf total knee arthroplasty

 Axel Schmidt (France)
- P45 Anatomical bi-cruciate-retaining arthroplasty: mid-term follow-up with an alignment tailored to implant design.

 Claudia Galletta (Italy)
- P46 Patient-reported outcome measures following individualised TKA are not affected by the degree of preoperative coronal varus or valgus laxity Elliot Sappey-Marinier (France)
- P49 Custom made TKR with mechanical alignment provides satisfactory results with 94% patients satisfaction
 Filippo Calanna (Italy)
- P50 Relevance of JLCA and aHKA in predicting preoperative coronal laxity in extension: toward optimized planning of patient-specific implants

 Franck Lacaze (France)
- P51 Persistent lack of international consensus for VTE prophylaxis recommendations in total knee arthroplasty
 Gerard Sheridan (Ireland)

- P52 Impact of tibial slope variation on clinical outcomes in kinematic and mechanical alignment total knee arthoplasty

 Marco Spatuzzi (Italy)
- P53 Patient reported outcomes in elective patellofemoral joint replacement surgery using data from the national joint registry and hospital episode statistics for england: population based cohort study

 Martinique Vella-Baldacchino (United Kingdom)
- P54 Primary TKA for primary and secondary osteonecrosis: reliable outcomes at 15 years
 Nils Meissner (Germany)
- P55 Prospective clinical trial analyzing serum mast cell tryptase levels and arthrofibrosis after TKA
 Nils Meissner (Germany)
- P56 Patient safety after day-case and non day-case fast-track hip and knee arthroplasty A multicentre, prospective cohort study from a public healthcare setting
 Oddrun Danielsen (Denmark)
- P57 Evaluation of criteria for discharge on day of surgery after hip and knee arthroplasty in a multicentre public healthcare setting Oddrun Danielsen (Denmark)
- P58 Functional soft tissue-guided positioning in robotic-assisted total knee arthroplasty for valgus deformity achieves optimal outcomes and HKA within the safe zone
 Pietro Gregori (Italy)
- P59 Mechanisms of failure and re-failure after total knee arthroplasty: a tenyear registry-based trend analysis Randa Elsheikh (Switzerland)
- P60 Primary total knee arthroplasty using a cementless highly porous titanium tibial baseplate in patients under the age of 50 Sébastien Lustig (France)
- P61 What can we learn from the 10-year follow-up of a RCT comparing bicruciate retaining total knee arthroplasty with cruciate-retaining design?

 Tomofumi Kinoshita (Denmark)
- P62 The clinical outcomes and biomechanics of bi-unicondylar arthroplasty Amy Garner (United Kingdom)



- P63 Excellent functional outcome and satisfactory revision rates of two-staged bicompartmental knee arthroplasty for disease progression following unicompartmental knee arthroplasty

 Conradin Schweizer (Germany)
- P64 Lateral unicompartmental knee arthroplasty: nearer-normal gait characteristics and higher patient satisfaction compared to total knee arthroplasty

 Amy Garner (United Kingdom)
- P65 Indications for lateral unicompartmental knee arthroplasty A systematic review

 Kristine Bunyoz (Denmark)
- P66 Surgical technique can reduce risks of tibial fractures in Oxford UKA surgery. Horizontal-first tibial cut technique with a vertical "boomerang" saw stop

 Alexander Maslaris (United Kingdom)
- P67 Long term survival of fixed-bearing medial unicompartmental knee arthroplasty is comparable to long-term survival of the total knee arthroplasty: a single centre cohort study

 Anze Mihelic (Slovenia)
- P68 Does high BMI affect ACL status and functional outcome? Comparativestudy between mobile bearing oUKA vs fixed bearing rUKA
 with mid-term follow-up of 5-7 years
 Podhili Subramani (India)
- P69 Intraoperative decision-making guide for deciding suitability of fixed bearing robotic assisted Unicondylar Knee Arthroplasty in the presence of varying grades and topography of patello-femoral wear Podhili Subramani (India)
- P70 How does patient reported outcomes after reoperated medial unicompartmental knee arthroplasties compare to primary knees?

 Christian Bredgaard Jensen (Denmark)
- P71 Medial unicompartmental knee arthroplasty for avascular necrosis a cohort study comparing cemented and cementless fixation

 Conradin Schweizer (Germany)

- P72 High reoperation rate after osteosynthesis of proximal periprosthetic tibial fractures around medial unicompartmental knee arthroplasty

 Stefan Risager (Denmark)
- P73 Patellofemoral joint replacement Are you offering this as a treatment option to your patients?

 Martinique Vella-Baldacchino (United Kingdom)
- P74 How many patellofemoral joint replacements should you perform in order to offer this surgery to your patients?

 Martinique Vella-Baldacchino (United Kingdom)
- P75 Cost-effectiveness of patellofemoral arthroplasty compared to total knee arthroplasty: A study using data from the National Joint Registry Martinique Vella-Baldacchino (United Kingdom)
- P76 Patella, the brain of knee joint: Resurface or not? What Greeks prefer, data from a systematic review
 Angelo Vasiliadis (Greece)



EKS Secretariat



European Knee Society

europeankneesociety.secretariat@gmail.com Abstract: europeankneesociety.abstract@gmail.com

Organizing Secretariat



General information: infoEKS@oic.it Registration: registrationEKS@oic.it Faculty: facultyEKS@oic.it Industry: sponsorEKS@oic.it